

GENERAL INFORMATION

X-TRA POWER can be used with a starter fertilizer, in-furrow, transplant water, drip or overhead irrigation/soil drench or foliar treatment for any crop.

X-TRA POWER is intended as a supplement to a regular fertilization program and will not, by itself, provide all the nutrients normally required by agricultural crops.

X-TRA POWER is water-soluble and will be taken up by the plant roots and seed without phytotoxicity when used as directed.

DIRECTIONS FOR USE

STARTER FERTILIZER: Apply 2 to 4 pints per acre mixed in with the starter fertilizer solution

IN-FURROW: Apply 2 to 4 pints per acre in 5 gallons of solution per acre and apply in seed furrow at planting.

FOLIAR: Apply 1 to 4 pints per acre in sufficient spray solution to ensure thorough coverage of foliage.

DIP SOLUTION: Mix 6 to 8 fl. oz. in 10 gallons of water. Dip the roots in the solution before planting.

TRANSPLANT SOLUTION: mix 2 to 5 pints in sufficient transplant water to transplant one acre of crop.

IRRIGATION/SOIL DRENCH: Prepare a tank mix solution to inject 32 to 48 fl. oz. per acre into the irrigation system. Apply X-TRA POWER near the end of the watering cycle. Apply every 7 to 14 days through the irrigation system in addition to the normal N-P-K fertility program.

CROPS: Beans, Berries, Cereals/Small Grains, CitrusCorn, Cotton, Cucurbits, Forage Crops, Nursery Crops, Nut Crops,Ornamentals, Peanuts, Potatoes, Pulse Crops, RiceSod/Turf, Soybeans, Sugarbeets, Tree Fruit, Vegetable Crops, Vine Crops

---Mixing Instructions: Many pesticides may be mixed and applied with X-TRA POWER. **Mixing sequence:**1. Water, 2. X-TRA POWER, 3. Pesticide. Always conduct a "jar test" utilizing all products to be mixed in proper proportion in order to establish compatibility.

Conditions Of Sale: 1. Seller warrants this product consists of the ingredients specified and is reasonably fit for the purpose stated on this label when used in accordance with directions under normal conditions of use. No one other than an officer of Seller is authorized to make any warranty, guarantee or direction concerning this product. 2. Because the time, place, rate of application and other conditions of use are beyond Seller's control, Seller's liability from handling, storage and use of this product is limited to replacement of product or refund of purchase price.

Stoller X-Tra Power®

Guaranteed Analysis

Magnesium (Mg)	0.80%
0.80% Chelated Magnesium	
Copper (Cu)	0.80%
0.80% Chelated Copper	
Manganese (Mn)	0.80%
0.80% Chelated Manganese	
Zinc (Zn)	3.20%
3.20% Chelated Zinc	

Derived from Magnesium MEA, Copper MEA, Manganese MEA and Zinc MEA.

Statement of Practical Treatment

If inhaled: remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention. **If in eyes:** wash with plenty of water. Call a physician if irritation persists. **If on skin:** wash with plenty of soap and water for at least 15 minutes. Get medical attention if irritation persists.

If ingested: do not induce vomiting but call a physician and take patient to an emergency facility.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aafpc.org/metals.htm>

Personal Protective Equipment: Applicators and other handlers must wear long-sleeved shirt and long pants, waterproof gloves and shoes plus socks. Wash clothing after use with a detergent and hot water.**User Safety Recommendations:** Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. If contaminated, remove clothing and wash thoroughly and put on clean clothing. **Environmental Hazards:** Do not apply directly to water or to areas where surface water is present, or to inter-tidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water.

Storage and Disposal: Do not contaminate water, food or feed by storage or disposal.Open dumping is prohibited. Do not reuse empty container. Store in a cool place and out of direct sunlight. Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Density: 10.1 lb per gallon or 1.26 kg/liter @68°F

NET CONTENTS:

- | | |
|--|--|
| <input type="checkbox"/> 2.5 gal. (25.25 lb./11.45 Kg) | <input type="checkbox"/> 10 liter (12.6kg.) |
| <input type="checkbox"/> 5.0 gal. (50.50 lb./22.91 Kg) | <input type="checkbox"/> 20 liter (25.2 kg.) |

A NUTRIENT SUPPLEMENT

For Commercial Application Only

US Patent No. 5,997,600

F1601

X-TRA POWER®



StollerUSA

Manufactured and Guaranteed by Stoller Enterprises, Inc.
9090 Katy Freeway #400 | Houston Texas 77055 USA
Phone: 1-800-539-5283 or 713-461-1493 | Fax: 713-465-1533
E-Mail: stoller@stollerusa.com

Z-XTP